
## 200 Wide Swing Arm Kit for Softails







Wide Drive Swing Arm Kits allow the use of 16, 17, or 18" wheels up to 5" wide when fitted with a 200 series tire. The kit maintains the engine center line with a 1" offset given to the transmission and primary drive . Requires use of 9" wide rear fender after cutting off stock strut bars on frame. Fits Softail. Kit includes the following:

- "Swing" Arm
- Splash Guard
- Rear Axle/Spacers
- Fender Strut Bars
- Motor Sprocket
- Transmission Plate
- Pivot Bolt
- Pivot Bearings
- Primary Spacer Ring
- Hub Spacers
- VT No. Year 51-1050 1991-99 (200) 51-1051 1986-90
- **51-1051** 1986-90 **51-1053** 1986-90



Swing Arm Raw Raw Chrome



200 Series Wide Tire Kit fits 2000-05 FXST. Tire not included. VT No. 51-2005 Included with the kit are the following parts: Chrome Rear Swing Arm Rear Pulley, 7/8" wide w/70 tooth Rear Belt, 135 Tooth Front Pulley, 32 Tooth Rear Belt Guard 17" x 4.5" Chrome Rear Wheel Rear Axle with Spacer Nut Rear Axle Nut Spacer Upper/Lower Belt Guard Mount Kit



200 Series Rear Tire Kit fits 1987-up model ST's. Includes all parts pictures using a rear chain drive system to install the 200 x 18 Avon Tire requires removal of rear

frame strut bars to install fender. Includes: 5.50 x 18 Rear Wheel, Chain Guard, Front Sprocket, Rear Sprocket, Splash Guard, Gasket Kit, Front Sprocket Nut Kit, Rear Sprocket Bolts and Axle Spacers. Order 9" wide strutless fender separately.

 VT No.
 Item
 Item

 51-0653
 2000-up
 Kit

 51-0658
 1987-99
 Kit

 50-0216
 Fender

 50-0251
 Fender

 50-1116
 Fender Extension



## Offset Components



Offset Motor Flange Spacer machined of Billet Aluminum.

VT No.	Offset	VT No.	Offset
19-0568	1/4"	19-0570	1"
19-0604	7/16"	19-0600	1 1/4"
19-0561	1/2"	19-0601	1 1/2"
19-0569	3/4"	19-0602	1 3/4"
		19-0603	2"



 Offset Transmission Plates fit 5 or 6

 speed ST transmissions.

 VT No.
 Offset
 VT No.
 Offset

 19-0565
 1/4"
 19-0650
 1
 1/4"

 19-0560
 1/2"
 19-0651
 1
 1/2"

 19-0566
 3/4"
 19-0652
 1
 3/4"

 19-0567
 1"
 1"
 10-0552
 1
 1/4"



1991-up Shaft Extensions. VT No. Size 19-0562 +.5 **Extended Sprocket Extension Shaft** and Nut Sets fit 1991-up Big Twins. VT No. Length 19-0579 .5" 19-0581 .75" 19-0575 1.0" 19-0576 1.25" 19-0577 1.5"



# Swing Arm Kits



### 180 Wide Tire Kit fits 2000-up FXSTD Deuce models includes sprocket spacer, black caliper and 180/60B17 tire. Order wide swing arm separately. VT No. 51-0725



"Wide-Tail" Swing Kit for 1991-99 Evo Softails. Kit enables mounting of a wide tire in the stock frame. Due to the extra width the stock fender and fender struts can no longer be used, extra wide aftermarket fender and struts must be used. Where applicable the original struts must be cut off and replaced by bolt-on type fender strut. Also on some models it may be needed to grind down the square bottom bar support to clear the shock absorber eyes. Offers up to 11" (28 cm) rear fenders in the fender section the the catalog.

VT No.	Size	ltem	Belt
51-0654	200	Kit	1.50
51-0656	240	Kit	1.125
51-1576	250	Tail	

ne kit includes: Offset Swing Arm Wheel adjuster set

Axion acjuster set Sproket spacer (200 Kit Only) Sprocket support (200 Kit Only) Off-set transmission plate Primary spacer Longer inner primary mount bolts Crankshaft extension Extended crankshaft nut and primary gas-ket with extra O-ring. A special triangle shaped transmission side mount plate elimi-nates the use 5th transmission stud and allows use of the OEM and all aftermarket shock absorbers.



#### Mock Up for 51-0656 240 Wide Rear Tire Kit 1. Install Swing Arm Bearings

2. Install Tail Section

3. Install Offset Transmission Plate 4. Cut off Rear Strut Bars

5. Align Pulley (1 1/8" Belt) 6. Fitting 11" Strutless Fender VT No. 50-0218, Not Supplied in the Kit

7. Checking Tire, Center Alignment 50-0230

Fender Installed **Strutless Fender Conversion Kit** installed on Wyatt Gatling 250 frame.

VT No. 50-0230



Wide Tire Kit for 2006-up FXDWG models increase width to 180mm with conversion kit. Dunlop tire, brackets and hardware included to use with existing 17" wheel. No frame or power train modifications required. VT No. 51-0948







Wide Swing Arm Kits for Twin Softails allows for use of wide tire as noted with hardware provided. Installation requires shop equipment and experience in assembly. Kit includes the following:

Swing Arm with wheel axle, complete primary offset kit, including primary spacer ring, crankshaft extension and extension nut, primary gasket kit, extended transmission mainshaft and main drive gearing and extended primary bolts. The trick caliper bracket enables the use of a stock rear caliper. Tabs for the belt guard are welded in place. Due to the variety of wheels, fenders, fender struts and wheel spacers, these are not included.

VT No.	Size	Year
51-0855	250	1991-06
51-0659*	250	1991-99
51-0661*	280	1991-99
51-0655	200	2000-06
51-0657	250	2000-06
51-0662	300	2000-06
51-0702*	200	1001 00

1991-99 \*Note: Tail Only 51-0703<sup>3</sup> 300 \*Note: Must be used with 11/8" belt VT No. 20-0582 and 1991-94 models require VT No. 17-9951 countershaft gear.

FXST 6-Speed 25mm Offset Primary Kit for 2007-up models. The 25mm kit allows use of wider swing arms for up to a 250 rear tire while keeping the wheel perfectly centered. Kit includes extended main shaft, extended main drive gear, primary spacers, clutch pushrod, crankshaft extension, gaskets, seals and hardware. Kit requires wide swing arm not included with kit. Note: this kit will also work on all 2007-up FLT and FXD models but requires fabrication and widening of stock swing arm.

VT No. Item 51-0664 Offset Kit 51-1575 Swing Arm



Rear Frame Section. Order pivot kit separately. For 2000-05 FXST and 2000-up FLST Finish VT No. OEM Chrome (VT) 51-0978 48442-00 **51-0974** 48442-00 Chrome (OE) For 2006-07 FXST **51-0979** 48607-06 Chrome 44-0588 Pivot Kit Chrome For 2008-up FLSTF **51-0848** 47573-08 Chrome





44-0748

Chrome ST Pivot Assembly includes shaft, nut and spacers. VT No. Type

44-0739 Flush Mount Shaft 44-0588 Complete Kit 44-0726 Shaft Kit 44-0748 Shaft Kit

Year 2000-06 2000-06 2000-07 2008-up



**Rear Fender Strut Mounting** Kit is chrome plated unique low profile allen hardware kits to mount struts to fender. Fits FX & FL Softail 2000-up except FX Deuce.

VT No. 2043-26

2000-up ST Rear 🍱 Swing Arm



**BIG TWIN** 

44-0608 44-0663 Kit 2-0686 Cover Set 2000-up Swing Arm Hardware. OEM VT No. Item 44-0608 47610-00 Chrome Pivot Shaft 44-0623 45048-00 Bushing, pair 44-0624 48049-00 Spacer, pair, 2000-06 **44-0625** 9270 Bearing Only, 2000-up 44-0588 Hardware Kit 44-0663 47119-02 Pivot Kit 44-0588 **Retaining Ring** 44-0626 11282 **44-0627** 6535 Left Side Pivot Washer 44-0629 6534 Right Side Pivot Washer 42-0686 43462-00 Dome Cover Set **37-0960** 7479 Nut Only ST Rubber Bumper for 2000-up replaces 11514. VT No. 28-0587 Pivot Spacer Sets fit ST models (4 piece). VT No. Year Finish 44-0712 44-0710 2000-06 Zinc **44-0712** 2007 7inc 44-0711 2008-up Zinc 44-0711 **FXST-FLST** Rear Fender **Extension** to replace stock plastic extension. Flat panel design for 2000-up. VT No. Finish Year 50-0517 Stainless 2000-07 50-0518 Chrome 2000-07 50-0522 Stainless 2008-up 11 50-0518 50-0517 2001-07 Upper Swing Arm Covers fit Softail models. Bolt on to cover welded area. 11110 VT No. 42-0378

# Chrome Rear Swing Arm & Shock Assy

Chrome Rear Swing Arm and Shock Assembly fits ST models includes chrome tail section, adjustable shocks with 1" lowering capability, chrome axis tube with tapered allen screws and chrome shock mount bolts.

VT No. Year 51-0651 1986-99 51-0652 2000-05 51-0663 2006-07





## 1987-99 ST Rear Swing Arm



Chrome 1987-99 FXST-FLST Rear Pivot Kit. Order hardware separately.

ooparator	· · ·		
VT No.	#	OEM	lt
44-0585	A, B, C, D	Kit	Κ
44-0584	A	9076	В
12-9910		11156	S
37-8824	В	4961	Ta
54-0438		7142	L
37-8896	С	43283	W
44-2000	D	48031-89A	А

**Item** Kit Bearing Kit, 4-pc Snap Rings, 10 pk Tapered Allens, pr Lockwasher for Above Washers, pr Axis Tube, Chrome





**FXST Pivot Bolts and Covers** fit 1986-99 Softail. Covers are available in chrome dome, plain or reflectorized. Tapered chrome. Allen cap screws replace existing bolt. Pairs.

VT No.	Туре
37-8824	Tapered
51-0971	Stock Chrome
54-0438	
42-9926	1986-99 Chrome Dome
8940-2	1986-99 Red Reflector
8939-2	1986-99 Amber Reflector

Item Allen Bolts Hex Bolts Lockwasher for Above Cover Cover Cover




Pike Swing Arm Pivot Bolt Set includes chrome pike nuts and studs for 1989-99 ST models. VT No. 37-0330



1986-99 FXST-FLST Rear Fender Extension to replace stock plastic extension. VT No. Finish Type

VI NO.	FINISN	туре
50-0515	Chrome	Curved
50-0737	Stainless	Flat Panel



50-0737



VT No.OEMYears51-096949231-971989-9944-0585Pivot Kit1987-99



81

FXST-FLST Frame Rubber Bumper with <sup>1</sup>/4" x 20 thread. Replaces 11451, pair. VT No. 28-0550

Chrome Rear Frame Section for Softail mod-

els. Includes the pivot bearings installed.

1989-99 FLST-FXST Shock Stud Kit includes 4 bolts replacing 4074 and 4 washers replacing 6724W. VT No. Finish 37-9090 Zinc 37-0572 Chrome



**Chrome Tail Spurs** dress up rear castings on 1986-99 FXST-FLST models. Contour steel covers fit behind adjusters to protect paint when axle is removed. Adjuster nuts supplied. **VT No. Item** 

**42-0676** Spurs **44-0545** Adjuster Kit



Chrome ST Rear Frame Covers bolt on to cover axle adjuster area on all softail frames 1986-99. Hardware and instructions included. VT No. 42-0034

210







51-1601 Installed shown with 27-1235



**1998-08 Frame for FLH** accepts stock components for these years. Frame shipped in raw finish without swing arm. **VT No. 51-0800** 



The Tour Torque Linkage System fits all Touring models. No modifications are necessary to install this unit, after the unit is installed it will eliminate the lateral movement while still allowing the Iso mounted factory design of the "floating" drive train to move vertically as designed through connecting the rear of the transmission case to the frame. The kit utilizes an isolation link with a urethane plunger so there is no contact between the frame and engine trans assembly, therefore reducing vibration. Fits 1993-08. Chrome number includes outer mount bracket in chrome.

VT No.	Finish
51-1601	Black
51-1602	Chrome

**Note:** Installation on 1993-2001 models require 27-1235 foot peg spacer set as shown. Purchase 27-1235 separately.



**Chrome Fender Strut Covers** do not include the "cut-out" that is included in stock covers on 1997 FLT models. Provide a smoother look when not using a luggage rack. Fits 1997-up FLHT Standard and 1997-08 FLHR and 1998 FLTR models. **VT No. 42-0859** 



• This new wide tire / drive kit come complete with all bolt-on parts necessary to install without modification.

Kits include new wide rear swingarm with a 1" axle, custom • 14 gauge rear OE style fender, saddle bag support kit, drive components, billet primary spacers and all brackets & hardware necessary.

- Allows use of OE stock taillight, saddle bags & exhaust.
- Accepts 16" x 5.5" x 17" x 5.5" x 18" x 5.5" rear wheels & most tires up to 200mm wide.
- Requires a 20mm rear belt & pulley.
- Models with 18" rear use OE brake caliper ,models with 16" rear require a smaller custom brake caliper.
- Installation of a tourpak or backrest will require OEM detachable docking hardware.
- Fits 02-06 FLHT, FLHR and FLTR touring models. VT No. 51-1252

0. 51-1252





Dunlop Cruisemax Tire features a two groove pattern which maximizes water expulsion delivering high powered grip and improved mileage. "H" rated for sustained speeds of up to 130 mph.

## Front VT No. Item/Size

46-0616 Blackwall 130/90-16 46-0617 Wide whitewall 130/90-16



DUNLOP

P	LETT.	n f	A	
[	1		A	
			分	
			B	
6-034	.0	B	/	

46-0226 MT90 HB-16 46-0227 MV90 HB-16 46-0234 240-40R18 46-0228 250/40 VR18 Wide Whites by Dunlop are the stock replacements in the D402 Series. Also available with embossed logo.

**Dunlop Elite 3** 

performance. Front

Rear

Blackwall Tires features E3 thread pattern for superior wet pavement

Size 46-0225 MT90 HB-16 **46-0233** 90/90-21

VT No. OEM Туре 46-0339 43118-92 Front 46-0340 43119-92 Rear

## **150 Series Tire Kits**



Wide Tire Kit includes components required to install a 150 series tire on 1997-99 FXST-FLST models, except FLSTS. Kit includes rear belt, chrome upper and lower belt guard, a Dunlop 150/80 -16K-591 tire, and all necessary gaskets. Kit will function with stock wheel and swing arm and does not require

fender modification. Order pulley separately.

VT No.	Item	OEN
51-1341	Kit	4368
20-0591	Black Pulley	4039
20-0592	Replacement Belt	4004
27-0242	Chrome Upper Belt Guard	6057

OEM	
43684-99	
40391-98	
40047-98	
60571-98	



VT No. 51-1342 51-1343

43685-00 44490-00 Wide Tire Kits fit ST models. Both come with a 150 Dunlop series tire, brake caliper, splash guard, wheel spacer and hardware. FX kits include taillamp assembly. The FL kit includes saddlebag hangers and isolators. Installation should be completed by a qualified dealer.

> Year 2000-05 2000-06

FXST, S, B

FLST, C, F, S